



New **digital** self-adhesive paper:

Laserfine HS-FSC

A new uncoated supercalendered label face has been added to our Digital Standard Offer. **Laserfine HS-FSC** is specially optimized for logistics, promotional and retail labelling and many other applications requiring custom labels with variable information.

Laserfine HS-FSC labels are well-suited for routing, tracking and tracing objects through the supply chain, and facilitate inventory-taking for warehouse goods.

In retail industries, Laserfine HS-FSC labels provide vital information for numerous items, from garments and accessories to home and personal care products.

Combination	Sales code	Size (cm)	Packaging	MOQ	Sheet EAN code
				Wrapped	Scored, printed backprint (W3)
Laserfine HS-FSC (permanent adhesive)	GDK/SPA3/14/W3	32x45	Box - 250 sh	5000	7171234
			Box - 100 sh	5000	7171241

For further information, please contact your UPM Raflatac Area Sales Manager and/or Customer Service.

UPM RAFLATAC TECHNICAL INFORMATION

03/2018 ENG 4521

SELF-ADHESIVE SHEETS

FACE	LASERFINE HS-FSC
Uncoated	GDK (sales code)
Product	Surface sized woodfree SC paper.
Use	Product designed for multifunctional information labelling, product descriptions, bar codes, sequential numbers. Especially designed for medium and high volume laser printers.

Typical technical values

Substance	70	g/m ²	ISO 536	
Caliper	70	µm	ISO 534	
Tensile strength MD	5,5	kN/m	ISO 1924/1	
Tensile strength CD	2.5	kN/m	ISO 1924/1	
Brightness	95	%	ISO 2470/1	
Roughness	2.7	µm	ISO 8791	PPS10
Opacity	89	%	ISO 2471	
CIE Whiteness	133	%	ISO 11475	
Stiffness MD	0.18	kN/m	ISO/DP 2493	
Stiffness CD	0.10	kN/m	ISO/DP 2493	
Printability	Designed for laser, offset, flexography, letterpress and dot-matrix.			
Sustainability	The product named as FSC is registered to SGSCH-COC-004879 FSC™ Mix credit.			

Disclaimer

The performance of the product should always be tested in the actual application conditions. Our recommendations are based on our most current knowledge and experience. As our products are used in conditions beyond our control, we cannot assume any liability for damage caused through their use. Users of our products are solely responsible that the product is suitable for its intended application, and have determined such at their sole discretion. Users must comply with any applicable legislation and/or testing requirements for the finished article, and are responsible for bringing their products to market. This publication does not constitute any warranty, express or implied, and is intended only for the recipient and cannot therefore be transferred to any third party. We cannot assume any liability for the use of our products in conjunction with other materials.

All our products are sold subject to UPM Raflatac's general sales conditions, and you should ensure that any existing laws are observed. This publication replaces all previous versions.

All information is subject to change without notice.

